



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CALIFORNIA—*San Francisco*.—Month of February, 1898. Estimated population, 360,000. Total deaths, 551, including phthisis pulmonalis, 89; enteric fever, 2; scarlet fever, 1; diphtheria, 7; croup, 4, and whooping cough, 2.

Los Angeles.—Month of February, 1898. Estimated population, 103,000. Total deaths, 123, including phthisis pulmonalis, 2; enteric fever, 2, and diphtheria, 1.

COLORADO—*Colorado Springs*.—Month of December, 1897. Estimated population, 22,000. Total deaths, 24, including phthisis pulmonalis, 6, and diphtheria, 1.

CONNECTICUT—*Hartford*.—Month of February, 1898. Estimated population, 72,000. Total deaths, 81, including phthisis pulmonalis, 10; enteric fever, 1, and whooping cough, 1.

FLORIDA—*Tampa*.—Month of February, 1898. Estimated population, 26,000. Total deaths, 24, including 2 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of February, 1898. Estimated population, 65,000. Total deaths, 68, including phthisis pulmonalis, 4, and enteric fever, 1.

MASSACHUSETTS—*Fitchburg*.—Month of February, 1898. Estimated population, 28,392. Total deaths, 27, including 4 from phthisis pulmonalis.

MICHIGAN.—Week ended March 5, 1898. Reports to the State board of health, Lansing, from 65 observers indicate that measles, erysipelas, and pneumonia increased, and diarrhea and tonsillitis decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 124, measles at 29, enteric fever, at 37, scarlet fever at 36, diphtheria at 31, whooping cough at 13, and smallpox at 1 place (Royal Oak).

MINNESOTA—*Winona*.—Month of February, 1898. Estimated population, 22,000. Total deaths, 25, including phthisis pulmonalis, 4; enteric fever, 1, and diphtheria, 1.

NEW HAMPSHIRE—*Concord*.—Estimated population, 18,000. Total deaths, 19, including 1 from phthisis pulmonalis.

Manchester.—Month of February, 1898. Estimated population, 60,000. Total deaths, 81, including phthisis pulmonalis, 8; enteric fever, 1, and scarlet fever, 1.

NEW YORK—*Auburn*.—Month of February, 1898. Estimated population, 30,000. Total deaths, 35, including phthisis pulmonalis, 3, and enteric fever, 1.

Buffalo.—Month of February, 1898. Estimated population, 360,000. Total deaths, 341, including phthisis pulmonalis, 36; enteric fever, 8; scarlet fever, 2; diphtheria, 8, and whooping cough, 2.

OHIO—*Toledo*.—Month of February, 1898. Estimated population, 143,755. Total deaths, 107, including phthisis pulmonalis, 10; enteric fever, 1; scarlet fever, 1; diphtheria, 1, and whooping cough, 1.

PENNSYLVANIA—*Meadville*.—Month of February, 1898. Estimated population, 12,000. Total deaths, 7. No deaths from contagious diseases.

Plymouth.—Month of February, 1898. Estimated population, 12,000. Total deaths, 10, including phthisis pulmonalis, 2; diphtheria, 2, and measles, 2.

Pottsville.—Two weeks ended March 10, 1898. Estimated population, 14,000. Total deaths, 12. No deaths from contagious diseases.

Scranton.—Month of February, 1898. Estimated population, 105,000. Total deaths, 130, including phthisis pulmonalis, 3; enteric fever, 2, and diphtheria, 10.

Williamsport.—Month of February, 1898. Estimated population, 35,000. Total deaths, 20, including phthisis pulmonalis, 1, and diphtheria, 1.

RHODE ISLAND—*Newport*.—Month of February, 1898.—Estimated population, 21,500. Total deaths, 27, including phthisis pulmonalis, 1, and enteric fever, 1.